

Package: CUNYsports (via r-universe)

October 19, 2026

Type Package

Title Accessible Collegiate Athletics Data From the City University of New York (CUNY)

Version 0.1.0

Description Provides access to collegiate athletics data from the City University of New York (CUNY), the largest urban public university system in the United States. Includes tools for discovering and retrieving sports data from an included SQLite database. The data covers individual CUNY schools, players, games, seasons, and other aspects of CUNY athletics, providing accessible datasets for teaching, student learning, and sports analytics.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Depends R (>= 3.5)

Imports DBI, dplyr, RSQLite, stringr, rlang, tibble

Suggests ggplot2, knitr, rmarkdown, dbplyr

VignetteBuilder knitr

URL <https://nyc-open-data-lab.github.io/CUNYsports/>,
<https://github.com/nyc-open-data-lab/CUNYsports>

BugReports <https://github.com/nyc-open-data-lab/CUNYsports/issues>

Config/roxygen2/version 8.1.0

Config/pak/sysreqs libicu-dev

Repository <https://nyc-open-data-lab.r-universe.dev>

Date/Publication 2026-10-01 18:25:58 UTC

RemoteUrl <https://github.com/nyc-open-data-lab/cunysports>

RemoteRef HEAD

RemoteSha 3ff79fde7dd3329c608f9fc8cc4bd47e8891d1f6

Contents

column_catalog	2
cuny_columns_info	2
cuny_db	3
cuny_find_tables	4
cuny_pull_table	4
cuny_table_info	5
cuny_table_names	6
table_catalog	6

Index	7
-------	---

column_catalog	<i>CUNY Sports Column Catalog</i>
----------------	-----------------------------------

Description

A catalog describing the columns contained in tables in the CUNY Sports database. The catalog provides information about column names, suggested names, data types, descriptions, example values, key types, and notes.

Usage

column_catalog

Format

A data frame with one row per documented database column.

Source

CUNY Sports Analytics Initiative

cuny_columns_info	<i>View Column Information for a CUNY Sports Table</i>
-------------------	--

Description

Returns metadata and descriptive information for the columns in a table available in the CUNY Sports database.

Usage

cuny_columns_info(x)

Arguments

x A character string specifying the name of a table in the CUNY Sports database.

Details

Column information is retrieved from the 'column_catalog' dataset included with the CUNYsports package. The catalog includes column names, suggested names, data types, descriptions, example values, key information, and additional notes.

Use [cuny_table_names()] to view the tables currently available in the CUNY Sports database and [cuny_table_info()] to view information about a specific table.

Value

A tibble containing one row per column in the requested table and metadata describing each column.

Examples

```
cuny_columns_info("basketball_all_seasons_team_final")
```

cuny_db

Connect to the CUNY Sports Database

Description

Opens a connection to the SQLite database included with CUNYsports.

Usage

```
cuny_db()
```

Value

A DBI database connection.

`cuny_find_tables`*Search Available CUNY Sports Tables*

Description

Searches the CUNY Sports table catalog for tables matching a keyword.

Usage

```
cuny_find_tables(x)
```

Arguments

`x` A character string containing a keyword to search for.

Details

The search is performed across table names, display names, descriptions, and likely uses, making it easier to discover relevant tables without knowing their exact names.

Use `[cuny_table_info()]` to view detailed information about a specific table and `[cuny_pull_table()]` to retrieve a table from the database.

Value

A tibble containing catalog entries for tables matching the search term.

Examples

```
cuny_find_tables("player")
cuny_find_tables("game")
cuny_find_tables("scoring")
```

`cuny_pull_table`*Pull a Table from the CUNY Sports Database*

Description

Retrieves a complete table from the SQLite database included with the CUNYsports package and returns it as an R data frame.

Usage

```
cuny_pull_table(x)
```

Arguments

x A character string specifying the name of the table to retrieve.

Details

Use [cuny_table_names()] to view the tables currently available in the CUNY Sports database.

Value

A data frame containing the requested table.

Examples

```
cuny_pull_table("basketball_all_seasons_team_final")
```

cuny_table_info	<i>View Information About a CUNY Sports Table</i>
-----------------	---

Description

Returns metadata and descriptive information for a table available in the CUNY Sports database.

Usage

```
cuny_table_info(x)
```

Arguments

x A character string specifying the name of a table in the CUNY Sports database.

Details

Table information is retrieved from the ‘table_catalog’ dataset included with the CUNYsports package. Use [cuny_table_names()] to view the names of tables currently available in the database.

Value

A tibble containing metadata and descriptive information about the requested table.

Examples

```
cuny_table_info("basketball_all_seasons_team_final")
```

cuny_table_names	<i>List Available CUNY Sports Database Tables</i>
------------------	---

Description

Returns the names of all tables available in the SQLite database included with the CUNYsports package.

Usage

```
cuny_table_names()
```

Details

This function provides a quick way to explore the tables available in the CUNY Sports database without directly connecting to the underlying SQLite database.

Value

A tibble with one row per database table and a single column, 'table_name', containing the name of each available table.

Examples

```
cuny_table_names()
```

table_catalog	<i>CUNY Sports Table Catalog</i>
---------------	----------------------------------

Description

A catalog describing the tables available in the CUNY Sports database. The catalog provides meta-data about each table, including its contents, structure, coverage, source, potential uses, and relationships to other tables.

Usage

```
table_catalog
```

Format

A data frame with one row per database table.

Source

CUNY Sports Analytics Initiative

Index

* **datasets**

- column_catalog, [2](#)
- table_catalog, [6](#)

- column_catalog, [2](#)
- cuny_columns_info, [2](#)
- cuny_db, [3](#)
- cuny_find_tables, [4](#)
- cuny_pull_table, [4](#)
- cuny_table_info, [5](#)
- cuny_table_names, [6](#)
- table_catalog, [6](#)